




SZ/E

Accessories

Measuring size: -

Output: -

Highlights: tension band, heat transfer paste, sun protection, vandalism protection



Description

The ball-throw protection/sun protection (hardened steel) is for sensor mounting in public places, such as schools or fairs.

By the tension band the probe can be mounted on surfaces or pipes.

To achieve an even faster and more accurate temperature measurement, it is recommended to fill the contact surface of the object to be measured with heat transfer paste.

Technical Specifications

Material	Tension band: galvanized steel Ball shot protection: tempered plate sun protection: stainless steel V2A
Dimensions	Tension band: B 9 x L 300 mm, area 60-110 mm; Ball shot protection: L 180 x W 150 x H 60 mm, hole distance: 160 mm / 130 mm; Sun protection: 7 x 70 mm perforated



Variants

Article Number
Description
SZ02/E
Tension band, clamping range 60-110 mm, galvanized steel
SZ04/E
Heat transfer paste 2 ml (5 g) silicone free, -40...+150°C
SZ06/E
Ball shot protection L 180 x W 150 x H 60 mm
SZ08/E
Sun protection for AF2/E
SZ20/E
Plug-in power supply 24 V DC (1A) 24 W with 1.5 m cable and wire end ferrules

Accessories



AF1/E
Outdoor temperature sensor



KP/E
Cable temperature sensor with PVC cable



LF1/E
Contacting Temperature Sensor with Silicone Cable and Clamping Band



RF/E
Room Temperature Sensor



Dimensional Drawing

